Figure 1: Space filling representation of the Fv fragment of the antibody 4-4-20




Figure 2a: Variable/constant domain interface residues for VL




Figure 2a: Variable/constant domain interface residues for VL (cont.)




Figure 2a: Variable/constant domain interface residues for VL (cont.)




Figure 2a: Variable/constant domain interface residues for VL (cont.)

	(c			•						•				_									- 10				-	\neg	- 1		7	
22	S	-	<u></u>	ر.	0 1	-	-	4	S	 -	S	-	S	တြ	-	S	<u>ر</u> د	S	-	တ	S	S	S	- 1	-	S	2	S	S	ဟြ	_	
21	_	Σ	-	- -	- ¦	-	-	Σ	Σ	-	-	_	Σ	-	_	- -	-	-	-	-	-	-	-	-	Σ	- :	Σ	긔	-	-	-	
0				-	0	<u> </u>	-	⊢	⊢	-	H	· 	\vdash	S	-	S	-	\vdash	 	S	S	\vdash	$\vdash \mid$	$\vdash $	\vdash	S	\vdash	S	လ	S	~	
9																														>		
8																														~		
-		i		•	,			1	•	1	1	}	1					•	1	ì	:	: 1						1		۵		
-																														5		
16	٢			ים -	<u>ල</u>	9	9	ß	9	10												1	-		 		-		+	-	H	,
l C				•	:								_						>		ا ا	<u>.</u>	ام	نـــا	م	ر	A	م	. _	1	۵	l
-																														S		
14		1	•			1	:			ì			,	1			1	1		1							. 1	- L		- 1		
12	2	> ·	4	>	>	۷		□	(>	• 4	>	· -	>	<u> </u> >	-	>			7		<u> </u>									> 4		
	5			•	•																										S	
15	<u>-</u> :	,			į	1.	•	- 1	1 _				-	-	-	-	_;_	┰					i	- 1	- 1	1	- 1	i i			S	
		_	Σ	_	_	<u>ا</u> ا	_ أد	7 2	Σ -	J	<u>ا</u> ا	ـ د	<u> </u>	<u>ا ا</u>	J -	<u>ا</u> ا	<u> </u>	→	4 2	Σ -	<u> </u>	ــ الــــــــــــــــــــــــــــــــــ	1 <	(-	- 2	<u> </u>	<u> </u>	<u> </u>	-/ - - - -	-		1
	5	-	•											•	1	1						•										
	2	ഗ	_	S	U) -	- c	n -	- (n	ماد	n <	۲ د	n	> د	X U	ماد	7	ר א	-	<i>_</i>	۸	7	<u>က</u> -	- - -	- -	7		-	77	N C	7
	ा													*								•		\setminus	ا ہے	<u>.</u>		S	A	_ ,	۵	_
	6			i		- : -								ر ا د			ا ح م ار			다 조	٦	ا: <u>۵</u> ا: ۵	_			<u>d</u> (مام	ح ۷ م	
- 1	7 8			J.,	۱	_	م:ر		ر ان	S	Silv	ကြ	11	S	_ [1	IJ	- 1	-	۵	S	S	-			S	S	-	S	S	<u></u>	_ _	1
١	9	0	0	, (ץ כ	الح	0	0	O	0	0				2		2	0	0	0	O'	O,	0	9	0		0	0	0		0 C	<u>ا</u> ر
	Ŋ	⊢	H	۲	- }	-	⊢.	⊢ 	1	⊢	- 1	Į			_]		1	. !	- -	- 1	⊢	<u>⊢</u> ; ⋝	Σ				Σ	Σ		Σ	Σ -	_
	4	1	1	1		- 1		,		Σ >	i	- 1	>		> >	1	- 1	1	4	į į			0	- 1	>	>	ب	>	>	>	0	ابد
	2 3	_	\ <u></u>	- ; -	フ _ロ ・ 一:	> 	—	_	Z	_	_	-	Y	-	>	A	>		S	-		>	_	S	-	-	>	-	-	>	-	
	-			ועכ	ב	Ω	۵	Ω	ш	۵	۵	۵	ď		۵		Ω		۵	0	ш		٥	0	ш	0	0	10	10			
				j		>	C	,			70	ā	C)	ے		70	_	mam	00 E	E	<u> </u> -	<u></u>	6	40	.5	 	4	ام	£	ap	6fab	fab
		1201	7 7	D.	og l	100	1df	1 fd	1 fig	1 frg	1fvd	1ggb	1 <u>g</u>	1 hin	1 igi	1 ind	1 je	, E	3	Į	2cc	2d	2f1	2ft	2ft	2	2;0	2	۲	4fab	9	8
						-											4	5/2	28													

Figure 2a: Variable/constant domain interface residues for VL

Figure 2a: Variable/constant domain internee
80 ××××××××××××××××××××××××××××××××××××
E O O O I O O O I O O O I O O O O I O
T > 4 T A A T H A T Z H Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z
28 L > Z > 3 > > L 4 L > > > > > P L 4 L > > > P L 5 P
TO SHER ZHZHZHZHZZHHHZXXXZHZZHZQ
62 0 N - 0 N 2 > 0 F O D F O - 0 > 0 O - 0 N N O O - 0 - 0
87 > ZZVZ>YOOHYZHZOOOZZO-WOOJ
T T T T T T T T T T T T T T T T T T T
2
2 2 2
2220 >
2 >
S S S S S S S S S S S S S S S S S S S
A Q Q Q S S S S S S S S S S S S S S S S
N N N N N N N N N N N N N N N N N N N
20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
N N N N N N N N N N N N N N N N N N N
47 × × × × × × × × × × × × × × × × × × ×
m 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Figure 2a: Variable/constant domain interface residues for VL (cont.)

	Ç	CC	11(ι.)											 -	т				_		- 1		. 1	Т		Т	Т	· 	Τ.	٦	
62) "	- -	- 1	- 1		,		. !	2	- 1		u.	- 1	- 1	- 1	1	L	ì	- i		1	-	<u> </u>		- }	LL				L- -		
15		ر ع	\simeq	~	~	≃	~	~	œ	œ	~	~	~	~	8	~	~	حا	~	~	~	~	~	۳	~	~	~	8	~	2	×	
S		<	>	S	۵	S	S	⋖	۵	S	Δ	A	۵		4	۵	S		۵			S		4	>		Ω	S		S	7	
0																														ما		
0 0			_			Ì			İ	>	-	>	l		l	1	1 '	1	l i		1 !					,	١.	ļ	>	>	-	
١.	1		<u></u>		l l	1	1	;	1	1	l	ပ	!	l	1	l	ļ	ļ			ł	i .	1	i '	1	ľ	i	G	G	S	၅	
1																														S	S	
ļ																														. 0		
	윘	ш																														
	2 4	ب																												S		
	53																													2 2		
	52		•		- 1	í		•			1			- 1	- 1	- 1	- 1	- 1	- 1					•	•					0 0		
	21	⋖	 -	-	د >	> <	< ⊦	-	- <	(<	داد	ი ⊢	- <	(>	> ⊢	- -	- ⊦	- >	> <	(>	> >	> -	- -	- د	- -	- >				> -		
	20	_	-																												- -	
	49	>	- >	- >	- >	- ;	- >	- >	- >	- >	- >	- (< و	- >	-	< פ	- >	- >	- >	- >	- >	- >	- >	- >	- >	- >	- :	≻ :	Y :	> - >	- >-	
	48	_	- -	_ :	> -	_ -	_ :	> -	- -		- -	_\-	- -	- -	- -	-\-	- -	- -	- -	- -	- :	Σ -	- -	- -	- -	- -	-	- -	-	- -	-	
	~		_ _ _	_ .	_	_	الــ	ال	L_	: - إلـ	ار.	_ -	_ -}∟	_	إد	.	-	_ .	_ -	۔ ب	-	_ .	-	: د	≥ :	≥ .	انـ	ᅴ	_		ح د	1
	6 4	1					 - -	_ .	<u> </u>	!	-	ار_	.	>	اب	ای	_	_ -	>	_ן.	اب	_	_	_	╍┆	∝ .	_	_		>	∠\ٰ≥	=
	5 46		>					\sim			- 1	1.	1		\searrow	\vdash	\mathbf{z}	\mathbf{z}	\prec	~	\mathbf{x}	ᅩ	\mathbf{z}	~	~	\mathbf{z}	\mathbf{x}	¥	~	노:	~ >	-
	4		2	2		¥:	<u>*</u>	_ ; _ ;	_						۱		ام	>	٦	۵	۵	۵	>	Ъ	مـ	ما	۵.	م	۵	ما	- -	_
	4																														-	
	43	3	مـ	S	S	S	>	S	S	٠.	V		_		ارن	_	ر ا		1		~	~	(2)	5	_		0	0	ш	0	ی ای	$_{\perp}$
	5	7	0	S	¥	0	<u>`</u>	ᅩ	⋖	0	~	0	エ	0	_	1			*						-	ř	-		+		(C)	\dashv
	1	╕				-	1	' ! !		1				. =						(5	l n	(0		נח	(7	: '(၁	ی	ی	בוכ	ی	ام	ای
	1	4	<u> </u>	9	0	9	9	9	9	9	9	9	1	9	9					Τ_	1_	1		1				1		<u> </u>		\dashv
	1.								•	!			•							1						ر ان د			`	1	۵	
		5	۵	ام	C	ם ע		0	S	<u></u>	۵.	0	١	Δ.	<		<u> </u>			- -					1	-		1	1	_!	۱۵-	1
																	_	1/7	O													

Figure 2a: Variable/constant domain interface residues for VL (cont.)

																			•												1
	•	•	•	•	į		•	•			1					•							•			•			-	-	
83	٧	٧	ட	_	ட	ட	⋖	_	ட	>	ш	٦	٦	ш		Σ	ш	-			_	ш	⋖	۷		لــا	ш	-	1	ш	
82	۵	Δ	D	۵	۵	▢	۵	۵	Ω	Ω	۵	۵	۵	Ω	Δ.	α	۵	Ω	۵	۵	Ω	Ω	۵	Ω	Ω	۵	Ω				
																							•								
81	۵	ш	ш	ш	۵	ш	ш	ш	ш	Ω	ш	ш	ш	ш	ш	ш	ш	ш	ш	ш	ш	w	ш	ш	ш	ш	u.	ш	ıļш	l L	1
			>				•		•						•	•		=	4		•	•	•				•		1	' 	
80	∢	4	S	4	مـ	ط	4	⋖	مـ	⋖	F	⋖	⋖	 -	⋖	0	⋖	V	4	⋖	I	S	⋖	⊢	4	⋖	-	- <	c C	Y <	
			\vdash				•																			-					
79	ш	ш	0	ш	0	0	ш	0	0	ш	0	0	ļш	С	0	Z	C	70	<u> </u>	ı	ı u	0	<u>ш</u>	Ш	ļш	C	y u	טע	ц	1	7
78	>	Σ		>			>	>	لـ	>	A	>	>	۷	: >		-	ح د	>	>	-	1	Z	Σ	>	>	>	> >	> -	1 >	>
77	۵	. 2	S	2	S	S	ြ်	V.	S	مام	ပြ	C.		ت	2	Z	ر	0		2 02		ت) -	- 0		: 0	טומ	ם כ	z Z	ع اد	기
92		5	z	S	S	z	S	-	·		-	C	o v) -	ر ر	S	0	0	2	טע	2	ی د	Z	2	2	2	2	2 0	ט	2 0	
75	1-	-	- -	-	-	- -	- -	- -	- -		-	-		- -	- -	-	- >	> -	-	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
44	-	- ⊢	- ~	\	: -	- 峑	(-	- ⊦–	- -	- -	- -	- >	∠ ⊦	- >	∠ ⊢	- -	- -	- >	۷ ع	∠ ⊢	-	< -	-	- >	∠ ⊢	- (2	× +	- +	-
73	-	- 4	J _	<u>-</u> ر	<u>ا</u> ر	: J:	_ إد	J	ـــ ا	J -	4	_ د	-	J -	_ ك	ـ ا	ال	-	4 -	-	<u>-</u> اٰد	-	-	-	4 -	⊿	-	-	- ال	-	-
72	. -	- 0	2) -	-	- 0	v) -	-	-	-	< 	- -	- <	۲ ۲	- 0	2 0	م +	- +		- 0	ဂ ပ	ی اد	n	0 F	- +	- +	-	- 4	∧	-
12	. u	- >	- >	- u	_ u	- >	- >	- ப	L	_ u	- <		_ _	-	1 u	- >	- <	∢ >	- -	- -	누 >	- <	< >	- >	- L	- 1	-	<u>.</u>	և :	≻ :	>
02	2 د	טוב		אכ	ח		ט עכ	2 ح	ے د	ے د	2 2		ء اد	د د	2	ء د	ع د	- 0	ح د	< 0	ם מ	ء د	مار	مار	ח	اد			۱۵		\vdash
09	3 -	_	- ⊦	- ⊢	-	- -	- _}	- ¦ ŀ	- ¦ ⊢	- +	- اد	4 د	- +	- 0	٦	- +	- =	2	- 1	I	- 	- -	 ₹ ⊦	- +	-	-	-	\vdash		⊢ [1	$\vdash \mid$
a d	3 6	حار	ی د	ی ار	ם כ	י פ	ָ פ	ם כ	ם כ	פ	دار	ی او	، اد	اد	او	ی او	٥	او	، د	ى ا	ه ی	او	او	او	ة اد	اِد	ای	9	9	ပ	ပ
72	ءاد	ر د	مار	ماد	مار	ر م	ر ا	n (א נ	م ر	ი -	-	N C	ار	-	2	2	S)	S	S	S	S	2	S	S	S	S	S	S	S	S
22		او	٥	ی او	او	ر و	יפ	פ	ه ٖ و	× 0	۔ و	_ •	او	5	_ •	ای	: ح	\prec	ပ	ပ	ပ	ပ	\mathbf{z}	ပ	ပ	ပ	ပ		ပ	ပ	 -
	S ,	ر د	2	مار	Λ (s c	א נ	<u>ر</u> د	ہ ٔ	مار	Λ (ر ا	S	S	S	S	S	တ	တ	S	S	S	S	S	S	S	ဟ	S	S	S	S
3		ب د	ای	او	او	ر ی	ه د	او	ن ک	وا	او	إی	ای	ပ	ပ	ပ	9	ی	S	ပ	ပ	ပ	ی	ای	ပ	တ	ပ	ပ	ပ	G	S
5	5	S	S	2	ر ا	s S	: ا ا	S	S	S	ر ا	S	-	ഗ	S	S	လ	S	4	S	S	S	S	S	S	S	H	S	ဟ	S	S


Figure 2a: Variable/constant domain interface residues for VL

	(c	or	<u>it.</u>])													 ;					·T				\neg			1		
						:		◀:	◀				4	4		4							•	-	1					-	
103	\prec	ᅩ	~	¥	¥	ᅩ	¥	¥	ᅩ	ᅩ	¥	ㅗ	ㅗ	\prec	\prec	\prec	ㅗ	\vee	\times	\prec	ᅩ	メ	ᅩ	ᅩ	ᅩ	¥	~	~	ㅗ	~	
102	⊢	⊢	-	}-	⊢	⊢	⊢	⊢	⊢	 -	⊢	F	<u> </u>	⊢	Н	 -	—	-	F	-	F	-	-	—	-	I	-	-	1-	 -	
101	9	ဟ	9	ပ	ပ	တ	9	ဌာ	G	ဟ	9	G	G	G	ဟ	ပ	G	ഗ	ပ	ပ	၅	9	ပ	S	ပ	ပ	ပ	Ġ	ပ	ပ	
100	⋖	>	9	A	Ы	ပ	⋖	4	ď	٧	ပ	ဗ	ی	ပ	ပ	S	⊢	ပ	ပ	ၒ	တ	-	⋖	ဌ	ပ	4	9	ഗ	ပ	ပ	
66	ပ	G	9	9	၂၀	9	ပ	G	5	9	ပ	ပ	ပ	ပ	ပ	ပ	g	S	ပ	ပ	G	9	ပ	ပ	ပ	ပ	ပ	9	ن	ပြ	
86	l _u	ш	u	ш	با	L	╙	L	u	u	L	L	ш	<u> </u>	۰	L	LL	4		ш	ш	LL.	ட	ш	ட	.	ய	ட	4	ш	
976	_	 -	.	 -	S	-	<u> </u>	<u> </u>	<u>-</u>	—	>	<u> </u>		>	· -	- -	>	·	-	-	-	>	-	-	-	-	 	F	-	-	
9		1			1	1	i	,		1		1	:	1			•		•	1	ı	L.		1		1			1	S	
95b 9	ا	1	ļ	i	ĺ	1	!	1		i	ı	. i	į į	i	1	i	1	Ì	_	1	1	1	1		1	1	!	ı		1	
95.9		ם	_ -	- >	> Z	<u>-</u>	- >	- =	: 	- _	z	z	>	> 2	<u>-</u> >	> -	ے د	ء اد	- >	- >	-	7 Z	2 0	_ ~	< >	>	3	>	>	ی اد	,
9.7.0	,	< ١	ر -	ם כ		J	ء ر	U	ר ר ⊢	- ц	ין ר	2	ב	= 0	בור	=	-	20	בוס		= -	-	7/>	ـ ار	בופ	בט	2	בור	_		
70		ر	ر م	_									<u>.</u>				ر	פ				U	o								
S	_																					>	>								
000	<u>ا</u> ر	2 0	n i	≥ ⊦	_	3	> c	n >	- >	- 2	z >	- >	-	- >	ب ر	Λ	Z	u :	- +	_ c	ماد	ماد	-)	-		<u>ر</u> د		Z	- 2	z]
[- -	2	۱ 🗲	_	Λ >	- 1	-¦>	- 0	י בּיַב	E (n	\$ 0	וֹב	- =	≥ <	او	: اد	- :	T	او	2	اح	≥ :	≥ :	≥ •	اف	י כ	2	S	3 ع	≥
		الح	الح	E (2	: _أ ح	I C	تاك	z	کار	. الح	;	z	ارح	_	9	ر ا	<u>ر</u>	9	2		9	4	0	0	0	Z	0	2	9	⋖
			0	ا ان	S	الح	0	إد	٠,	ارح	9	∢ (0	S	4	u	O	S	0	2	S	0	A	0	0	ᄔ	O)	0	S	0	9
		ال	ن	ں	ان	ن	اٰن	ں	ن	ن	ٰں	اں	اں	اں	ပ	ں	اں	اں	ပ	ပ	اب	ပ	ပ	ပ	ပ	اں	ں	ပ	اں	اب	ပ
		_	_	>	LL)	· -	>	-	> -	>-	>	ഥ	>	щ	ш	>-	-	>	>	ш	u.	띡	>	>	>	>-	>	ட	ய	ட	>
. .	~ 1	- 1	,	:			:						- 1		- 1	i	. :		!!			- 1								>-	
Ì	\sim 1												,						; ,		1				!	ı	: !	!		⊢	1
ŀ	_		;	>				:									!	:												*	
	84	A	4	ပ	G	⋖	ၒ	¥	. ⋖	⋖	⋖	⋖	A	ပ	4	'	A 13		4	G	ပ	4	-	⋖	A	ပ	4	9	ی	⋖	4

Figure 2a: Variable/constant domain interface residues for VL (cont.)

0		•	>	>	>	>	>	>		•	•	>	>	•	>	>	•	>	>	>	>	•	>	>		>	>	•		•
108	R	~	~	~	~	~	×	٦.	8	œ	9	œ	R	ဗ	~	æ	ပ	æ	œ	R	œ	9	حا	œ	~	æ	8	~	~	ပ
0	•	•	•	•	•	•	•	•	•	•	•	•	•	Þ	•	•		•	•	•			•		•	•	•	•		•
107	~	노	ᅩ	~	ᆇ	~	~	\prec	ᅩ	ᅩ		~	~	_	~	ᆇ		~	ᅩ	~	×		¥	~	ᅩ	ㅗ	ᆇ	¥	¥	
0	•		•		4	=	•		▶	4					•	•		•	•		>	•	•	•	•		•		>	0.
106	Σ	-	-	_	-	-			-	-	>		-	>	-	-	>	-		-	_	>	-	-	-	-	-	-	_	>
0	•	•	▶	>	▶	•	4	•	•	▶		•	•	•			•	>	•	•	•	•		•	•		•	•	•	•
105	ш	سا	ш	u		u	ш	w	ш	ш	 -	. ш	ш	-	ш	ш	-	u	ш	ш	u	 	u	سا	l w	1	ш	ı u	ш	-
104	-	-	<u> </u> _	-	ح ر	-			>		1-	J	-	-	_	1	>		<u> </u>	'	<u>-</u>	>	-	<u> </u> _	<u>-</u>	J	_ ن	<u>-</u>	_	1

Figure 2b: Variable/constant domain interface residues for VH






Figure 2b: Variable/constant domain interface residues for VH




Figure 2b: Variable/constant domain interface residues for VH (cont.)

	(cont.)		:			
22	0000	000000	ا ن ن ن ن ن) () () () () (0000
21		S - S S S - F				
20			- L Z L -	1	Σ	1 - 1 - 2 -
6	$\circ \circ \times \times$	$\mathbf{x} \propto \mathbf{v} \times \mathbf{x} \times \mathbf{v}$	ハ ⊻ ଝ ⊻ ⊻ !	x	×	
<u>8</u>	コペシー			> > > :	>	ı ¬ Σ > ¬
~		၂ လ လ လ လ မ လ ၊				995
9		o ~ ♂ < ∪ ∪ ∪ ♂				
5	l .	<u>, 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</u>			**	
0			• •			•
14	a a a a		<u>م</u>	~ ~ ~ ~ ~	4 9 9 9 9 6	7 4 4 4
0	• • •	•	• •	•	• •	
13	××× c	704××00		 Q,	~ O O Z Z (
12	->>>	> > > u > > ¬	>>>>	>>× 2 ×	>>> E >	>>>>
C	> + =		> 4 = 4 >	—	4466	
1	>		\ \ _			
C			•	• •	•	> >
Ç	A Q m) (O (D	ОППП	ООШШШ	шоошО	о v о m о
1	•	>	•			17.0 (P > (P
٥			90909		46646	04070
\[\ \	. U U D (ე	00000		<u>ი ი ი ი ი</u>	00000
ᅣ	SSSI	- S S S S S	SSSSS	SSSSS	SSSS	SS - S A
		пппОппп	шшОшС	уш ш О ш С	100m0m	
 				•		
Ŀ		>> × 0 > > 0		, , , , , , ,		
	4	<u> </u>			200200	2222
ŀ	$\omega \times QQ$	0000100	$\alpha \alpha \alpha + c$, <u> </u>	->>>>>	>>>>
ď		>>>>>>				A m m O m
Ľ	-00	шшООшшС				
	> -	2 - mp =) ,	mam mco nca cgr	2	2mcp 3hfm 4fab 6fab 8fab
	l acy 1 baf 1 bbj	1cbv 1dfb 1fd 1fig 1frg 1fvd	19ig 1 Tigi		3	944 34 34 44 44 44 44 44 44 44 44 44 44 4
				14/28	 _	

Figure 2b: Variable/constant domain interface residues for VH (cont.)

	(c	on	τ.)						_																					า
430	ㅗ	z	0	×:	Y	<u>~</u>	×	×	×	×	¥	Y :	<u>~</u>	▼ ×	×		<u>~</u>	~	т 	<u>~</u>	<u>~</u>	~ :	<u>-</u>	<u> </u>	<u>~</u>	<u>~</u> :	Z :	× C		
420	9	ပ္	ш	ဟု	ပ	<u>ა</u>	9	۵	G	<u></u>	<u></u>	۵	<u>ა</u>	ш	⋖	<u>9</u>	• •	<u>ა</u>	<u></u>	<u>.</u>	ပ	ტ -	<u>ა</u>	<u>၂</u>	ш		· ص	ш (<u>ე</u> დ	,
410	۵	۵	۵.	۵.	۵.	۵.	Z	₫.	۵	S	۵.	۵	I	● a.	Į.	م	٩	<u>a</u>	۵.	<u> </u>	۵.	<u> </u>	۵.	<u>ء</u> 	۵_	۵	۵.	ء ح		-
40	⋖	ட	¥	⋖	⋖	م	œ	⊢	⋖	۵	۵.	<u> </u>	ഗ	⊢	S	۰	۵.	⋖	~	⋖	~	⋖	⋖	<u>~</u>	<u>-</u>	۵	<u>. </u>	S	<u> </u>	
39	0	0	0	0	0	0	0	エ	0	0	0	0	0	0	0	0	0	0	ш	ш	0	0	0	0	0	0	<u>~</u>	0	ے ح	
38	~																											∝ :		1
37																												> :		
36	≥	≥	≥	≥	≥	≷	≥	≥	≥	≥	≥.	≥	≥	≥	≥	≥	≥	≥	≥	≥	3	>	≥	≥	≥	≥	≥	≥ :	≥ ₹	>
35b		z	I	z	工	z	z	Ŋ	ェ	S	工	S	z	S	工	S	S	Z	ш	Z	Z	>-	S	ù	S	ш	S	Z	Z :	디
352		>	_	Σ	Σ	>	_	Σ	_	>	>	Σ	Σ	Σ	Σ	Σ	≥	Σ	_	>	>	Σ	Σ	-1	Σ	Σ	>	Σ	— :	Σ
35	ع د	<	⋖	⋖	⋖	ပ	z	9	>	ഗ	တ	ဟ	>-	-	∢	> -	>	ၒ	≥	<u> </u>	9	⋖	>	≥	⋖	>	>-	≥	<u></u>	تا ا
34	; <u>-</u>	·,>-	エ	z	>	>	I	ш	—	Σ	z	>	LL.	. W	>	>-	· >-	>	>	· >-	>	· >-	>	>	ပ	ш		>	Z :	>-
22	3 z	: _		-		G	G	S		G	S	S	۵	9	 	٥	· —	Z	<u> </u>	Z	· ·	· C			, <u>α</u>		S		Ś	Z
21 22		- v								\ _							- -	-												
ا	- 1	- I-	- -	Z	Z	: 1	. Д	·) <u>~</u>	· v	_	· V) 	· 0) -	- 1	- z	_ -	- <i>U</i>) -	- -	- v) V	· ·	;)	ر د	≻	· ഗ	—	S
ļ]] -		- u	. LL	. 11		ــــ ا	1 14			ـــ ا	ı u	. ц		j ii	. u		- u	<u>.</u> L	_ u	_ <u>u</u>	_ u	. _. u	. ù	Lu	_ ц		- ட	ட	니
T.	~ I	n u	ა ⊢	٠ ،) -	- v	· ·)	- Z	· ·) _	۸. ۲	o –		- ⊢	- -	- <i>u</i>	ό⊢		- <	ζ. Η		- ِ د	٠ ۲	- ⊢		- <i>u</i>	ρ⊢	—	\vdash
į	- 1	∟ >	- >	- u	_ 11	. u		_ U	ıμ	_ 14	. u	- ц	- >	- ц	. >	- u		> כ	- >	- >	- >	- u	L 11	- >	~ L	Ŀ U	ـ د	Э п	. >-	ш
	وار	ی د	ם פ	י פ	י כ	ی ر	י פ	, כ	י פ	י פ	و ر	ָ כ	י פ	ם פ	י פ	9 (ָ כ	ם כ	י פ	י פ	י פ	ם נ	ם כ	ם כ	ם נ	ם כ	י פ	י פ	ာ ဟ	ပ
ļ	<u>ئ</u> ر	クト	- u	s u) (n u	ر د د	၁ ပ	n u	n u	າບ	n u	၇ ပ	n u	n u	n u	n c	n	n F	– (n (<u>ი</u>	n u	n u	nu	n u	Λ F	- v	S	S
	47	> >	> <	(<	(<	< >	> <	(<	∢ <	(⊔	- >	> <	(L	Λ <	(ر	໑ ⊦	- >	> <	∢ •	∢ •	∢ •	۷ ۷	۸. «	∢ •	∢ <	∢ ⊦	- :	> <	(∢	∀
ļ	23	— H	- >	∠ <	ζ <	∢ ⊦	- >	۷ <	< <	∢ 0	o F	- <	∢ ≥	∠ <		∠ - 15		_	· * :	~ :	<u>·</u>	Υ (Λ •	∢ :	~ •	∢ •	∢ (Λ>	> ¥	: —

Figure 2b: Variable/constant domain interface residues for VH (cont.)




Figure 2b: Variable/constant domain interface residues for VH (cont.)

	(,		,															ė						
																							◀	4
84 0																								-
83	_	—	—	Υ (Y I	c (א ע	_ œ		Ο, ;	× F	- ∝	— п	∝ ⊢	'	⊢ ≥	∠ ├-	≃ . (⊻ ⊢	~ ~	∝ ⊦	- ∝	⊢ c	∠
82c	>	>	_	_ .	ـ بـ	۔ ل	<u>.</u> _	لې ل	>			ب د	_	ح ب	. لـ ر	 ⊹	اـ اـ	: ب	> :-	. <u> </u>	_ >	ب	۔ نـ	1
82b	v.	S	S	Z (Λ	n	n u	n v	S	S	S U	: o o	∝	⊢ ∨	Z	ဟ 2	zv	S	Υ 0	ာ ဟ	۷ ۷	n Z	လ r	Λ.
82a	-	· ×	z	Z	z	Z ŀ	– F	Z	: -	⊻ (ഗ	ΥZ	⋖	Z) Z	က :	z«		ω z	<u>s</u> vs	Z	zz	<u>~</u>	Z
82	-	ו_ נ	ب	Σ	Σ:	Σ-	: د	ΣΣ	<u> </u>	Σ	Σ-	ں ں	_ _	Σ-	ı —	٠ بـ		Σ	Σ-	ז ד	Σ.	∠	: - :	Σ
81	1																						y 0'	
80																							ıΣ	
79	1																						- ≻	
7.8	1	_																					> ∢	L
77																							ი ⊢	
76	- 1																						က ဟ	- 1
7.5	- 1																						2 V	
1	7																						n vs	
12																							 ⊃ ⊼	
1	- 1																						<u> </u>	
ļ	~ [~ >	1
, i		S F	- ⊢	ഗ	S	Ś	-	S	S	n v	Š	⊢ (<i>s</i> , c.))— '	S F	
	69			- د			_1				-	٠ ـــ:		_			. Ļ			٠	- >		— <u> </u>	
	88	ب ر	n F														- ∢					- S		
	29																						LL -	
	99																		. '					د مح د مح
	65	S	ر د	ם כ	ى د) V	ა <u>ს</u>	9	9	ن بې	n U	9	(J)	<u></u> ල	S	ڻ. د	၁ ဟု	9	<u> </u>) (J	<u>ن</u> ق	מט פ		ان د

Figure 2b: Variable/constant domain interface residues for VH (cont.)




Figure 2b: Variable/constant domain interface residues for VH (cont.)




Figure 3: Western blots showing the insoluble (i) and soluble (s) fractions of cell extracts





Figure 4: Scatchard plots of fluorescence titration of fluorescein with antibody: a) Titration of wt scFv; b) Titration of Flu4(V84D)






Figure 5: Overlay plot of urea denaturation. (x) wt scFv, (o) Flu4




Figure 6: Thermal denaturation time courses at 40°C and 44°C for wt and Flu4 scFv fragments




Table 1: Sequence variability of residues contributing to the v/c interface

19																												1
19					da	an m		Lys	0	0	96	0	0	0	0	0		0	0	0	0	0	0	0	0	0	က	
10 110 112 115					lamb	2		Lys	0	0	30	1	20		0	-	4	0	0	0	0	က	Ò	24	0	က	7	
19	139	37	37	-	<u></u>	E E	Lys	Lys	o .	-	95	/	0	0	0	0	0	_	Ö	0	0	0	0	Ö	0	0	0	0
19					kapp	P.		Lys	0	0	83	14	0	-	_	Ö	0	0	0	0	0	0	0	0	0	0	0	0
19						m E		Pro	0	0	0	0	0	0	0	0	0	0	0	0	96	0	0	4	0	0	0	0
19					lamb	P		Pro	0	0	0	0	0	0	0	0	0	Ö		0	84	0	Ö	14	0	0	0	0
19	L15	48	49	0	co.	m	Leu	Leu	0	0	0	0	0	0	-	0	0	0	ω	0	28	10	7	49	0	-	0	0
10 110 112 110 112 110 112 110 112 110 112 110 112 110 112 110 112 110 112 110					kapp	된		Pro	0	0	0	0	0	-	0	0	0	0	0	0	45	4	2	=	0	0	0	0
19		-,-				m		Thr	0	0	0	0	0	93	0	0	0	0	0	0	0	0	-	0	0	0	0	0
19 110 10 10 10 10 10 10					lamb	hu		Ser	0	0	0	0	0	0	66	0	0	0	0	0	0	0	0	0	0	0	0	0
L9 L10 91 91 91 65 91 0 10 0 10 10 10 10 10 0 0 0 0 0 0 0	L12	41	47	12	а	mu	Pro	Ser	0	0	0	0	0	က	20	0	0	0	23	0	20	0	0	0	0	0	0	.0
L9 L10 91 891 892 91 893 91 894 895 995 996 997 998 998 999 999 9999 99999 99999999				. !	kapp	hu	*	Ser	0	0	0	0	0	0	84	0	0	0	4	0	-	0	0	0	0	0	0	0
19 1					а	mu		Ser	0	0	0	0	0	9	9	0	0	0	0	0	0	0	24	~	0	7	, -	Ö
19 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	110	59	65	10	kapp	된	Ser	Thr	0	0	0	0	0	49	48	0	0	0	0	0	0	0	0	0	0	7	0	0
19 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					da	m		Ala	0	0	0	0	0	*	4	0	0	0	90	Ö	0	•	m	0	0	0	0	0
					lamb	P		Ser	0	0	0	0	0	0	90	0	0	0	7	0	0	2	.0	0	0	0	0	0
kapp Nu Nu N	67	91	91	0	ā		Leu	Ala	0	0	9	0	0	4	24	0	0	•	4	0	2	0	0	19	0	· -	0	0
					kapp	J.		Ser	∞	0	0	0	0	0	43	: 0	C	25			0		· c) <u> </u>	_ c	-	0	0

Asp Glu Lys Arg His His Asn Gln Gln Gly Cys Pro Val Ile Leu Met

Position % exp. (FAB) % exp. (ind.) % buried v/c Species Seq. 4-4-20 Consensus Distribution:

Table 1: Sequence variability of residues contributing to the v/c interface (cont.)

m	2	ထ	<u>5</u> 6	Т		ပ္	S			m					_	_	_	_	_		_	_	_	_	_	_	
L103	4	28	7	g	m E	ادّ	Lys	0	0	<u>გ</u>	_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	O	
		-		kappa	밁		Lys	0	0	88	∞	0	2	0	0	0	0	0	0	0	<u> </u>	0	0	0	0	0	
				ga	m		Glu	15	68	Ö	0	0	0	0	0	0	0	0	0	Ó	0	0	0	0	0	0	
				ambda	2		Glu	0	66	0	0	0	0	Ö	0	0	0	0	0	0	0	0	0	0	0	0	
L83	17	38	46		JE .	Leu	-en	0	0	0	0	0	က	0	0	0	•	31	0	0	12	11	32	7	7	0	
		•		kappa	PL PL		Phe	0	0	0	0	0	0	7	0	0	0	0	0	0	20	9	-	0	72	0	0
			\dashv	<u> </u>	JE I		3	_	82	_	_	_			_	_	_			$\overline{}$	_	_	_	_	0		ᅴ
			ļ	ambda			긕										_										
	_	•		lan	리		흥	4	59	0	0	0	0	0	0	_	7	0	0	0	_	0	0	9	0	0	
L81	70	74	2	m	Ē	흥	픙	^	93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
				kappa	P		Gla	10	86	0	0	0	0	Ö	0	0	-	-	0	0	0	0	0	0	0	0	0
					m		Thr	0	0	0	0	0	94	0	0	0	0	4	0	_	0	0	0	0	0	0	0
				lambda	P.		Ala	0	0	0	0	0	17	19	0	0	0	99	0	2	2	0	0	0	0	0	0
80	57	74	21	3,5	mu	Ala	Ala ,	0	∞	0	0	0	3	9	0	9	0	54	0	თ	2	0	0	.0	0	2	
				kappa	hu	. '	Pro 🗡							:	•												1
-				ka	-			<u> </u>										_	.								
				ambda	m		Asp	6	0	0	0	0	0	,0	0	0	<u>س</u>	Ö	O	O	O	O	-	. 0		O	
				lam	ΡΓ		Gly	m	0	0	7	က	0	0	0	0	90	7	0	0	•	0	0	0	0	0	0
141	114	121	3		m	Gly	G	10	4	0	-	7	0	-	0	0	8	0	0	0	0	0	0	0	0	0	2
				kappa	hu		Gly	0	0	0	0	0	0	0	o _,	0	66	0	0	0	0	0	0	0	0	0	
				Г	E		Pro	0	0	0	0	0	0	0	0	0	0		0	96	0	0	0	· co	0	0	0
				ambda	7		Pro	-	0	0	0	0	-	2	0	0	0	. —	0	92	0	0	0			0	0
L40	64	82	22	ᆮ	m L	Pro	Pro F	1																			0
		~		kappa	\vdash		\vdash	-												-							0
	<u></u>			, x	3	L	٩													6							

Table 1: Sequence variability of residues contributing to the v/c interface (cont.)


, ;				da	m E		G	0	0	0	0	ၑ	0	0	0	54	0	0	0	9	0	0	,0	0	0	0	0
				lambda	2		Gl	0	0	0	0	0	0	0	O	92	7	-	0	-	0	0	0	0	0	0	0
L108	47	103	55	а	E I	Arg	Arg	0	0	0	100	O ^r	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
				kappa	P		Arg	0	0	0	- 26	0	0	0	0	0		0	0	0	0	0	-	0	0	0	0
				da	m		Gly	0	0	0	က	0	0	Ŋ	0	0	92	0	Ö	0	0	Ö	0	0	0	0	0
				lambda	٦	. [<u>G</u>	0	0	0	ω	0	0	Š	0	0	83	0	_	0	0	0	ო	0	0	0	****
L107	26	65	15	a	mu	Lys	Lys	0	0	97		0	0	0	<u>-</u>	0	0	0	0	0	0	0	0	0	0	0	0
				kappa	P		Lys	0	0	94	. 7	0	,- -	0	۷	0	0	0	0	0	0	0	0	0	0	0	0
				da	mu		Leu	0	0	0	0	0	0	0	0	0	0	0	0	0	7	Ö	97	0	0	0	0
L106A	. 26	65	15	lambda	P		Leu	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	97	0	0	0	0
				da	nw		Val	0	0	0	0	0		0	0	0	0	0	0	0	100	0	0	0	0	0	0
				lambda	hù		Val	0	0	0	0	0	0	0	0	0	0	0	0	0	100	0	0	0	0	0	0
106	14	28	56	a	mu	lle	lle	0	0	0	0	0	0	0	0	0	0	0	0	0	_	73	25	0	0	0	0
	-		1	kappa	ρ		le	0	0	0	<u>_</u>	0	0	_	-	0	0	0	0	0	က	88	-	က	7	0	0
		-			ωu		Thr	0	0	0	0	0	100	0	0	0	0	0	0	0	0	0	0	0	0	0	
				lambda	2		Thr	0	0	0	0	0	97	, . —	0	0	0	0	0	0	0	-	0	0	0	0	0
105	19	57	99	<u></u>	ш	3	Glu	0	66	0	0	0	0	0	0	0	0	0		0	0	· C	Ó	0	С	0	0
				kappa	된		Glu	12	84	0	0	_	0	. 0	0	· -	C	· ·	0	Ō	•	. c	· -	0	C	0	0
	111				J L		Lys	0	0	100	0	0	0	0	0	C) C) C) C	0	· c	· C) C	0		· C	0
				lambda	12		Lys	0	2	83	ی (· C	^	ıc	4	^	ı 'C) C) C	· C	· C) C) C)· C	· C) C	0

Table 1: Sequence variability of residues contributing to the v/c interface (cont.)

				`			٠.																							٦ .
H43	5)	1		Lys	6	۵.	19	0		0	· C	-))	> (0	92	7	0	· C) C	> <	> <	0	0	0	· C) C	}
=	9	7	. ~		2	۱	G)	0	_	0	0	C	· C	> (ω (0	0	8	,		· -	- <	> <	> ·	0	0	0) C	
H42	=	r.	-		2	Glo	Pro	0	0	0	0	- [-		- (m	-	0	0	0	· C	o c	3 0	> <	>	0	0	C) C) C	
	-		- ი	Դ	_ ≥		Pro	0	0	С	٠,		: > -	 (7	0	-	0		· C	2	, ,) ·	<u> </u>	0	0	· c	- c	o c	
1-4	1	, c	٦ 	+	2	Pro	Arg	0	0	· ~	3, 6	3 <); c	<u>~</u>	18	_	0	0			> ;	- ,	_		0	C	י ע	o c	>	
¥	_	- 1	<u> </u>	Г	2	Δ.	Ala	0	0	· C	·-		- .		10	0	0	C	, o	3 <	> ;	Ω,	- .	0	<u>, </u>	7	. c	> C	> <	
14			۔۔۔۔	1	E E	Pro	Pro	0	_				 -		က	0	0	_) a		- - -	82	0	0	m	· C	o c	> 0)	$\supset \mid$
=		ה	36	9	hu	ط	Pro	 		, c	> <	> <)	0	2	0	0	C	۰ ر	- () 	96	0		0		> <	o (0 (
12	2 2	n (<u> </u>	-	mn	Gln	Ų,	+-		> [4 6	0 (0	0	.0	22		י כ	ຼ (0	0	0	0	C	· <	> <	0	0	0
=	= 0	ا 0	73	S	hu	9	7	4	، د	7 2	ر ر	γ) ·	_	0	0	0	34	; c	> ()	0	0	0	0	_	· ·	> ·	0	0	0
-	-			<u>~</u>	3	ā	1 -					 o	0	0	0	0		- <		0	0	0	-	7	Q T	3	>	0	0	0
		m	71	ഹ്	1 19	┨-	- ا ا		.	> '	0	0	0	0	· c	· C	· C	> 0	>	0	0	0	38	C	, 0	9	<u> </u>	ج	0	0
	<u></u>		<u> </u>			3	1	- 1										_											0	
	밁	9,	.72	ω		\exists	기	- 1																					0	
}	오	<u></u>	33		+-	+											_												0	
	_	2	(1)	, `	2	┥`	- ⊦		0	7	0	0	0	· -		- <	o (>	45	33	0	21	· C	-					0	
L									_						_ 1	_ !	_	—	>	G	Ś	C	7	ā	υ	굸	ā	. 2	<u> </u>	, E

Asp Glu Lys Arg His Thr Ser Asn Gly Gly Ala Cys Pro Val Ile Leu Met

Position % exp. (FAB) % exp. (ind.) % buried v/c Species Seq. 4-4-20 Consensus Distribution:



H108 H110 H112 H113 52	000
H108	i
H108 H110 H1 H108 H110 H1 Example 25 Exa	000
H108 H110 H110	000
H108 H1 64 55 64 55 64 55 64 55 64 55 60 0 00 00 0 00 00 0 00 00 0 00 00 0 00 00 0 00 00 0 00 00 0 00 0 0	000
H108 64 64 18 mu hu hu 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000
HH11 1 8 6 4 8 1 1 8 1 1 8 1 1 8 1 1 8 1 1 8 1 1 8 1 1 8 1 1 8 1 1 1 8 1 1 1 8 1	000
	0000
23 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000
H105 H105 B82 O O O O O O O O O O O O O O O O O O O	000
五 2 2 2 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0000
H89 34 37 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	• •
hu h	N 0 0 0
HB7 28 31 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9	
교 보 00000000000000000000000000000000000	
H84 H84 77 77 77 77 8 0 0 0 0 0 0 0 0 0 0 0 0 0	0 - 0 0
18 Ala hu hu 60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	

Table 2: Mutations introduced in the scFv fragment of the antibody 4-4-20

		·	5 (1/)	VOAD (VII)
	L15E (V _L)	L11N (VH)	L11D (VH)	V84D (V _H)
Flu 1	•		:	
Flu 2		•	•	
Flu 3			•	<i>:</i>
Flu 4				• .
Flu 5	•	•		•
Flu 6			•	•
Flu 7	•	•	•	
Flu 8	•		•	
Flu 9	•	•		•
Flu 4 short		·		•

Table 3: K_D values of the different scFv mutants determined in fluorescence titration

	Flu wt	Flu 3	Flu 4	Flu 6	Flu wt#	
KD (nM)	80 ± 7	60 ± 12	70 ± 10	75 ± 13	90	